

~~SECRET~~/NOFORN - HANDLE VIA SKEET CHANNELS ONLY

PROJECT SUN STREAK (U)

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

PROJECT NUMBER: 8815

SESSION NUMBER: 1

DATE OF SESSION: 14 SEP 88

DATE OF REPORT: 19 SEP 88

START: 1000

END: 1040

METHODOLOGY: SOLO

VIEWER IDENTIFIER: 011

1. (S/NF/SK) MISSION: Access, describe, and identify an object:
Target "B".

2. (S/NF/SK) VIEWER TASKING: 011 was provided with coordinates only.

3. (S/NF/SK) COMMENTS: None, next session will be a monitored
follow-up.

4. (S/NF/SK) EVALUATION: [] 3 D

SG1J



~~SECRET~~/NOFORN - SKEET CHANNELS ONLY

CLASSIFIED BY: DIA-DT
DECLASSIFY : OADR

SESSION SUMMARY

VIEWER: OII
DATE: 14SEP88
START: 1000
END: 1040
METHOD: SOLO

THE BULK OF THIS SESSION FOCUSES ON A RARE UNUSUAL MATERIAL. THIS MATERIAL IS VERY STRONG, LIGHTWEIGHT, AND HEAT-RESISTANT. THIS MATERIAL SEEMS TO BE COMPOSED OF RARE-EARTH ELEMENTS, SOME KIND OF CERAMICS, OR, MORE LIKELY A COMBINATION OF BOTH. THIS MATERIAL IS QUITE RIGID AND CANNOT BE FORMED EASILY. IT MUST BE SHAPED DURING THE MANUFACTURING PROCESS DUE TO ITS CRYSTALLINE NATURE.

AOLs: HAS A TEXTURE AND GREY COLOR LIKE ANNOXIDIZED METAL
LIKE TITANIUM
HIGH-TECH
SPACE-AGE

thung

A across, curving up, vertical
up, angle across, incline down,
curving down
hard
B. structure

thung

A loop, curving up, loop,
across, flat
soft
B. water / liquid

through

A. curving up, over, around
curving up, loop, down
missed break

through L L

A. vertical down, angle across
" " " "
" " " "
hard
B. structure

5-2
hard
black
smooth
cool
hard
tall
flat
angles
incline

S-2

D

AI

EI

I

I

AOL

A/s

black
shiny
hard
smooth
cool

incline
angle
flat

AOL BREAK
Like anodized metal
Like titanium

rare metal

black
dark grey

strong
lightweight
heat resistant

4½ - getting the impression of some sort of unusual material composed of rare elements, or ceramic, or a combination thereof. This material is very strong, lightweight and extremely heat resistant. But is quite rigid and must be formed into angles. →

Crystalline structure at the atomic level

→ This material is definitely not ductile or malleable.

This material must be formed or shaped during the manufacturing process. Once it is set it cannot be cut or formed

friction resistant

AOL Break
slippery-like
teflon

NO DRIVE
BREAK