

Chief, I & S Staff

Bluebird Team

A/B, II, 9, 53

27 November 1959

Medical Summary

File No.: B#27 - 1, 2, 3, 4, 5, 6 - 7

The drug used in this case was Sodium Amytal orally and Sodium Amytal intravenously, 2½% solution. The stimulant was Coramine, 2 cc intramuscularly.

The oral Sodium Amytal, 6 grains, was administered at 1730. At 1815, the Subject was asleep and awakened with difficulty. At 1830, he was sound asleep in the brig cell. At 1900, he awakened when he heard us at the cell door, staggered when guided to the examining room. At 1912, the interrogation under medication was begun. At 2000, intravenous Sodium Amytal was begun because he had swerved toward increased consciousness. At 2012, his eyelids were heavy. At 2013, his speech was thick. At 2015, he was becoming inaccessible so at 2016, the medication was discontinued. (A total of 7.0 cc having been administered up to that time representing approximately 0.3 gm.) At 2020, although he was asleep, he would mumble when questioned. The S. I. was successful. It continued until approximately 2200 at which time, the stimulant, Coramine, was administered intramuscularly. At 2220, the Subject was awakened for chow and seemed fairly alert. At 2240, he was allowed to go to his cell to sleep.

The desired effect of the medication was obtained in this case. The man believed the medication was administered only for calming purposes concerning the machine test. Upon being questioned the next day, the man showed no recollection of the S. I.

SODIUM } OK.
MAYTA = } 11V

110 SUPPER

CCJ-814115

2007

11/17/14 -
K. J. C. C. C. C.

B#27

D. E

157-360-1111

CHLMS 1816

100

[illegible]

1730

302, 514, 742 — CIRCL

21-1

5

0

1

5

13

15

•

215

7100

15

5

205

1

14.